NSN 5915-00-106-0300

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-106-0300 **Overall Height:** 4.580 inches **Body Length:** 2.580 inches **Body Width:** 2.420 inches **Body Height:** 4.260 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.400 inches **Vibration Resistance Range In Hertz:** +10.0 to 500.0 Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.560 inches **Operating Tempurature Range:** -55.0 to 85.0 degrees celsius **Reference Frequency Per Function:** 156.0 kilohertz blank **Source Impedance Rating Per Function:** 55.0 ohms blank **Load Impedance Per Function:** 55.0 ohms blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank **Mounting Facility Screw Thread Series Designator:** Unf **Inclosure Type:** Hermetically sealed **Mounting Facility Type And Quantity:** 1 threaded stud 1st function Insertion Loss At Reference Frequency Per Function In Decibels: **Functional Terminal Type And Quantity:** 1 tab, solder lug output 2nd function **Specified Frequencies Of Discrimination Per Function:** 154.00 kilohertz blank and 155.00 kilohertz blank and 157.00 kilohertz blank and 158.00 kilohertz blank **Thread Size:** 0.190 inches **Body Material:**

Frequency Band Width Per Function:

Metal

155.00 kilohertz blank and 157.00 kilohertz blank

NSN 5915-00-106-0300

Band Pass Filter - Page 2 of 2



Discrimination At S	pecificationified	Frequencies Per	Function In Decibels:
---------------------	-------------------	-----------------	-----------------------

3.0 blank and 30.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0