NSN 5915-00-106-0301

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-106-0301

Overall Height:	
4.580 inches	
Body Length:	
2.580 inches	
Body Width:	
2.420 inches	
Body Height:	
4.260 inches	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:	
1.400 inches	
Vibration Resistance Range In Hertz:	
+10.0 to 500.0	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:	
1.560 inches	
Operating Tempurature Range:	
-55.0 to 85.0 degrees celsius	
Reference Frequency Per Function:	
159.0 kilohertz blank	
Source Impedance Rating Per Function:	
55.0 ohms blank	
Load Impedance Per Function:	
55.0 ohms blank	
Principal Circuitry Type Per Function:	
Inductance-capacitance blank	
Mounting Facility Screw Thread Series Designator:	
Unf	
Inclosure Type:	
Hermetically sealed	
Mounting Facility Type And Quantity:	
1 threaded stud 1st function	
Insertion Loss At Reference Frequency Per Function In Decibels:	
2.0 blank	
Functional Terminal Type And Quantity:	
1 tab, solder lug output 2nd function	
Specified Frequencies Of Discrimination Per Function:	
157.00 kilohertz blank and 158.00 kilohertz blank and 160.00 kilohertz blank and 161.00 kilohertz bla	nk
Thread Size:	
0.190 inches	
Body Material:	
Metal	
Frequency Band Width Per Function:	
159,00 kilohartz blank and 160,00 kilohartz blank	

158.00 kilohertz blank and 160.00 kilohertz blank

NSN 5915-00-106-0301

Band Pass Filter - Page 2 of 2



Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 30.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0