

View Online at <https://aerobasegroup.com/nsn/5915-00-106-3674>

Overall Height:

2.220 inches

Body Length:

1.187 inches

Body Width:

1.187 inches

Body Height:

1.970 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.812 inches

Vibration Resistance Range In Hertz:

+10.0 to 55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.812 inches

Reference Frequency Per Function:

1.0 kilohertz blank

Input Impedance Per Function W/load:

600.0 ohms blank

Output Impedance Per Function W/source Across Input:

600.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

0.5 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

150.00 hertz blank and 300.00 hertz blank and 3.50 kilohertz blank and 5.00 kilohertz blank

Thread Size:

0.112 inches

Frequency Band Width Per Function:

300.00 hertz blank and 3.50 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 5.5 blank and 8.0 blank and 14.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Test Data Document:

81349-mil-f-18327 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-f-18327/17a government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0