

View Online at <https://aerobasegroup.com/nsn/5915-00-116-6570>

Overall Length:

2.938 inches

Overall Height:

0.688 inches

Overall Width:

0.750 inches

Body Length:

2.750 inches

Body Width:

0.750 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Operating Temperature Range:

-55.0 to 100.0 degrees celsius

Reference Frequency Per Function:

2.5 kilohertz blank

Source Impedance Rating Per Function:

5.8 kilohms blank

Load Impedance Per Function:

5.8 kilohms blank

Input Impedance Per Function W/load:

5.8 kilohms blank

Output Impedance Per Function W/source Across Input:

5.8 kilohms blank

Average Power Rating Per Function:

0.01 watts blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

2.0 blank

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

1.00 hertz blank and 5.00 kilohertz blank and 25.00 kilohertz blank and 250.00 megahertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

1.00 hertz blank and 5.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

2.0 blank and 2.0 blank and 100.0 blank and 100.0 blank

Special Features:

Mtg holes on adjacent surfaces

Style Designator:

Rectangular terminal/terminals on adjacent surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0