

View Online at <https://aerobasegroup.com/nsn/5915-00-124-5109>

**Overall Length:**

Between 8.730 inches and 8.742 inches

**Overall Height:**

1.875 inches

**Overall Width:**

1.875 inches

**Inside Width:**

1.250 inches

**Operating Temperature Range:**

+7.0 to 37.8 degrees celsius

**Inside Height:**

0.620 inches

**Reference Frequency Per Function:**

8.15 gigahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Principal Circuitry Type Per Function:**

Waveguide blank

**Voltage Standing Wave Ratio Per Function:**

1.35 blank

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

2 flange

**Features Provided:**

Shock resistant

**Insertion Loss At Reference Frequency Per Function In Decibels:**

1.0 blank

**Functional Terminal Type And Quantity:**

1 rectangular flange output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

7.70 gigahertz blank and 7.88 gigahertz blank and 8.42 gigahertz blank and 8.60 gigahertz blank

**Body Material:**

Metal

**Frequency Band Width Per Function:**

7.88 gigahertz blank and 8.42 gigahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

56.0 blank and 1.0 blank and 1.0 blank and 56.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

7.88 gigahertz blank and 8.42 gigahertz blank

**Body Surface Treatment:**

Silver

**Special Features:**

Consists of 13 tuning screws

**Unpackaged Unit Weight:**

1.750 pounds

**Precious Material And Location:**

Tuning screw surfaces gold and body surfaces silver

**Precious Material:**

Gold and silver

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0