

View Online at <https://aerobasegroup.com/nsn/5915-00-128-2900>

**Vibration Resistance Range In Hertz:**

+5.0/+33.0

**Operating Temperature Range:**

+0.0 to 55.0 degrees celsius

**Reference Frequency Per Function:**

200.0 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Input Terminal Manufacturer Code:**

16179

**Input Terminal Identification:**

0sm244&2

**Output Terminal Manufacturer Code:**

16179

**Output Terminal Identification:**

0sm244&2

**Voltage Standing Wave Ratio Per Function:**

1.5 single band pass

**Inclosure Type:**

Encased

**Insertion Loss At Reference Frequency Per Function In Decibels:**

5.0 blank

**Functional Terminal Type And Quantity:**

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

182.50 megahertz blank and 196.00 megahertz blank and 204.00 megahertz blank and 217.50 megahertz blank

**Frequency Band Width Per Function:**

196.00 megahertz blank and 204.00 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0