

View Online at <https://aerobasegroup.com/nsn/5915-00-140-1304>

Overall Height:

0.700 inches

Body Length:

4.030 inches

Body Width:

2.280 inches

Body Height:

0.510 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.500 inches

Vibration Resistance Range In Hertz:

+10.0 to 800.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.750 inches

Operating Temperature Range:

-18.0 to 75.0 degrees celsius

Reference Frequency Per Function:

2.6 kilohertz 5th band pass 5th function

Source Impedance Rating Per Function:

1.0 kilohms 2nd band pass 2nd function

Load Impedance Per Function:

100.0 kilohms 4th band pass 4th function

Principal Circuitry Type Per Function:

Inductance-capacitance 3rd band pass 3rd function

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

15 pin

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 3rd band pass 3rd function

Functional Terminal Type And Quantity:

5 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

2.18 kilohertz 4th band pass and 2.21 kilohertz 4th band pass and 2.30 kilohertz 4th band pass and 2.32 kilohertz 4th band pass 4th function

Body Material:

Metal

Frequency Band Width Per Function:

922.00 hertz 1st band pass and 959.00 hertz 1st band pass

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 3rd band pass and 30.0 3rd band pass 3rd function

Body Surface Treatment:

Tin

Unpackaged Unit Weight:

4.000 ounces

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0