NSN 5915-00-140-1927

300.00 hertz blank and 2.792 megahertz blank

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-140-1927

Overall Length:
7.625 inches
Body Length:
7.000 inches
Body Width:
2.750 inches
Body Height:
1.016 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
4.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
2.000 inches
Operating Tempurature Range:
+0.0 to 60.0 degrees celsius
End Application:
Radio set an/frc-160
Reference Frequency Per Function:
1.39615 megahertz blank
Source Impedance Rating Per Function:
75.0 ohms blank
Load Impedance Per Function:
75.0 ohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
1.0 blank
Functional Terminal Type And Quantity:
2 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
300.00 hertz blank and 2.792 megahertz blank and 3.20 megahertz blank and 8.50 megahertz blank
Thread Size:
0.138 inches
Body Material:
Metal
Frequency Band Width Per Function:

NSN 5915-00-140-1927

Low Pass Filter - Page 2 of 2



Discrimination At Specificationified Frequencies Per Function In Decibels: 1.0 blank and 30.0 blank **Body Surface Treatment:** Tin **Style Designator:**

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0