NSN 5915-00-147-9806

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-147-9806

Overall Length:
4.500 inches
Body Length:
3.500 inches
Body Width:
1.250 inches
Body Height:
0.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.813 inches
Vibration Resistance Range In Hertz:
+10.0 to 2000.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.950 inches
Operating Tempurature Range:
-55.0 to 90.0 degrees celsius
Reference Frequency Per Function:
1.03 gigahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Input Terminal Manufacturer Code:
81349
Input Terminal Identification:
Sma
Output Terminal Manufacturer Code:
81349
Output Terminal Identification:
Sma
Voltage Standing Wave Ratio Per Function:
1.5 blank
Average Power Rating Per Function:
50.0 watts blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

0.5 blank

NSN 5915-00-147-9806

Low Pass Filter - Page 2 of 2



Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

1.01 gigahertz blank and 1.05 gigahertz blank and 2.06 gigahertz blank and 3.09 gigahertz blank

Thread Size:

0.112 inches

Frequency Band Width Per Function:

1.01 gigahertz blank and 1.05 gigahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 75.0 blank and 75.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

1.01 gigahertz blank and 1.05 gigahertz blank

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0