Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-147-9950

| Body Length:   |
|--|
| 3.700 inches   |
| Body Width:  |
| 1.620 inches   |
| Body Height:   |
| 3.250 inches   |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 3.200 inches   |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:  |
| 1.120 inches   |
| Operating Tempurature Range:   |
| -55.0/+85.0 degrees celsius  |
| Source Impedance Rating Per Function:  |
| 50.0 ohms blank  |
| Load Impedance Per Function:   |
| 50.0 ohms blank  |
| Power Line Frequency Rating Per Function In Hertz:                           |
| 400.0 blank  |
| Operating Current Rating Per Function In Amps:                               |
| 3.0 blank  |
| Maximum Voltage Drop Per Function:   |
| 1.0 volts ac blank   |
| Input Terminal Manufacturer Code:  |
| 71468  |
| Input Terminal Identification:   |
| Gs02-14s5p001  |
| Mounting Facility Screw Thread Series Designator:                            |
| Unc  |
| Inclosure Type:  |
| Hermetically sealed  |
| Mounting Facility Type And Quantity:   |
| 4 threaded hole  |
| Functional Terminal Type And Quantity:                                       |
| 2 tab, solder lug output 2nd function  |
| Operating Voltage Rating And Type Per Function:                              |
| 115.0 volts ac blank   |
| Thread Size:   |
| 0.164 inches   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |

---

Radio Frequency Interference Filter - Page 2 of 2



Demilitarization:

No

Fiig:

A047b0