## NSN 5915-00-155-7530

High Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-155-7530	
Overall Height:	
2.625 inches	
Body Length:	
2.344 inches	
Body Width:	
1.969 inches	
Body Height:	
2.250 inches	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Le	ength:
1.750 inches	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Wi	idth:
1.125 inches	
Operating Tempurature Range:	
-28.0/+85.0 degrees celsius	
Reference Frequency Per Function:	
937.5 hertz blank	
Input Impedance Per Function W/load:	
8.0 kilohms blank	
Output Impedance Per Function W/source Across Input:	
600.0 ohms blank	
Mounting Facility Screw Thread Series Designator:	
Unc	
Inclosure Type:	
Hermetically sealed	
Mounting Facility Type And Quantity:	
4 threaded stud	
Insertion Loss At Reference Frequency Per Function In Decibels:	
3.0 blank	
Functional Terminal Type And Quantity:	
1 tab, solder lug output 2nd function	
Specified Frequencies Of Discrimination Per Function:	

0.00 hertz blank and 425.00 hertz blank and 775.00 hertz blank and 1.40 kilohertz blank

**Thread Size:** 

0.138 inches

**Frequency Band Width Per Function:** 

775.00 hertz blank and 1.40 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 40.0 blank and 3.0 blank and 3.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

## NSN 5915-00-155-7530

High Pass Filter - Page 2 of 2



		eas	

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0