

View Online at <https://aerobasegroup.com/nsn/5915-00-156-0088>

Overall Length:

3.938 inches

Overall Height:

2.876 inches

Mounting Slot Width:

0.140 inches

Body Length:

3.500 inches

Body Width:

1.375 inches

Body Height:

2.000 inches

Vibration Resistance Range In Hertz:

+10.0 to 2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.000 inches

Operating Temperature Range:

-54.0 to 90.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 5th radio interference 5th function

Load Impedance Per Function:

50.0 ohms 4th radio interference 4th function

Power Line Frequency Rating Per Function In Hertz:

420.0 3rd radio interference 3rd function

Operating Current Rating Per Function In Amps:

5.0 1st radio interference 1st function

Maximum Voltage Drop Per Function:

4.0 volts ac 2nd radio interference 2nd function

Principal Circuitry Type Per Function:

Inductance-capacitance 2nd radio interference 2nd function

Input Terminal Manufacturer Code:

96906

Input Terminal Identification:

Ms3112e128p

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 slot 1st function

Functional Terminal Type And Quantity:

5 turret output 2nd function

Operating Voltage Rating And Type Per Function:

132.0 volts ac 5th radio interference 5th function

Thread Size:

0.112 inches

Body Surface Treatment:

Tin

Special Features:

One ground function

Style Designator:

Rectangular terminal/terminals on two surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0