

View Online at https://aerobasegroup.com/nsn/5915-00-156-7829

Body Length:
4.375 inches
Body Width:
2.875 inches
Body Height:
2.156 inches
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Power Line Frequency Rating Per Function In Hertz:
400.0 blank
Operating Current Rating Per Function In Amps:
30.0 blank and 30.0 blank
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
2 terminal
2 terminal
2 terminal Functional Terminal Type And Quantity:
2 terminal <b>Functional Terminal Type And Quantity:</b> 1 solder stud input 1st function
2 terminal Functional Terminal Type And Quantity: 1 solder stud input 1st function Operating Voltage Rating And Type Per Function:
<ul> <li>2 terminal</li> <li>Functional Terminal Type And Quantity:</li> <li>1 solder stud input 1st function</li> <li>Operating Voltage Rating And Type Per Function:</li> <li>250.0 volts ac blank and 250.0 volts dc blank</li> </ul>
2 terminal Functional Terminal Type And Quantity: 1 solder stud input 1st function Operating Voltage Rating And Type Per Function: 250.0 volts ac blank and 250.0 volts dc blank Style Designator:
2 terminal Functional Terminal Type And Quantity: 1 solder stud input 1st function Operating Voltage Rating And Type Per Function: 250.0 volts ac blank and 250.0 volts dc blank Style Designator: Rectangular terminal/terminals on opposite surfaces
2 terminal Functional Terminal Type And Quantity: 1 solder stud input 1st function Operating Voltage Rating And Type Per Function: 250.0 volts ac blank and 250.0 volts dc blank Style Designator: Rectangular terminal/terminals on opposite surfaces Shelf Life:
2 terminal Functional Terminal Type And Quantity: 1 solder stud input 1st function Operating Voltage Rating And Type Per Function: 250.0 volts ac blank and 250.0 volts dc blank Style Designator: Rectangular terminal/terminals on opposite surfaces Shelf Life: N/a
2 terminal Functional Terminal Type And Quantity: 1 solder stud input 1st function Operating Voltage Rating And Type Per Function: 250.0 volts ac blank and 250.0 volts dc blank Style Designator: Rectangular terminal/terminals on opposite surfaces Shelf Life: N/a
2 terminal Functional Terminal Type And Quantity: 1 solder stud input 1st function Operating Voltage Rating And Type Per Function: 250.0 volts ac blank and 250.0 volts dc blank Style Designator: Rectangular terminal/terminals on opposite surfaces Shelf Life: N/a Unit Of Measure:
2 terminal Functional Terminal Type And Quantity: 1 solder stud input 1st function Operating Voltage Rating And Type Per Function: 250.0 volts ac blank and 250.0 volts dc blank Style Designator: Rectangular terminal/terminals on opposite surfaces Shelf Life: N/a Unit Of Measure:  Demilitarization:
2 terminal Functional Terminal Type And Quantity: 1 solder stud input 1st function Operating Voltage Rating And Type Per Function: 250.0 volts ac blank and 250.0 volts dc blank Style Designator: Rectangular terminal/terminals on opposite surfaces Shelf Life: N/a Unit Of Measure:  Demilitarization: No