## NSN 5915-00-159-6125

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-159-6125

## **Overall Height:**

1.375 inches

## **Body Length:**

1.750 inches

## Body Width:

1.750 inches

## **Body Height:**

## 1.000 inches

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.250 inches

## Vibration Resistance Range In Hertz:

## +10.0 to 500.0

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.250 inches

## **Operating Tempurature Range:**

## +0.0 to 60.0 degrees celsius

## **Reference Frequency Per Function:**

33.91 megahertz blank

## Input Impedance Per Function W/load:

600.0 ohms blank

## Output Impedance Per Function W/source Across Input:

600.0 ohms blank

## Mounting Facility Screw Thread Series Designator:

Unc

## Inclosure Type:

Hermetically sealed

## Mounting Facility Type And Quantity:

3 threaded stud

## Insertion Loss At Reference Frequency Per Function In Decibels:

15.0 blank

## **Functional Terminal Type And Quantity:**

1 tab, solder lug output 2nd function

## **Specified Frequencies Of Discrimination Per Function:**

32.46 megahertz blank and 33.56 megahertz blank and 34.26 megahertz blank and 35.36 megahertz blank

## Thread Size:

0.112 inches

## **Body Material:**

Metal

## **Frequency Band Width Per Function:**

33.56 megahertz blank and 34.26 megahertz blank

## Discrimination At Specificationified Frequencies Per Function In Decibels:

57.0 blank and 3.0 blank and 3.0 blank and 57.0 blank

# NSN 5915-00-159-6125

Band Pass Filter - Page 2 of 2



Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A047b0