## NSN 5915-00-161-3111

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-161-3111

Overall Length:

4.652 inches

**Body Length:** 

3.590 inches

**Body Outside Diameter:** 

1.530 inches

**Operating Tempurature Range:** 

-55.0 to 125.0 degrees celsius

**Source Impedance Rating Per Function:** 

50.0 ohms blank

**Load Impedance Per Function:** 

50.0 ohms blank

**Power Line Frequency Rating Per Function In Hertz:** 

60.0 blank

**Operating Current Rating Per Function In Amps:** 

10.0 blank

**Maximum Tempurature Rise:** 

25.0 degrees celsius

Full Load Insertion Loss Frequencies In Megahertz:

0.15 and 0.5 and 10.0 and 100.0 and 1000.0 and 10000.0

Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels:

60.0 and 80.0 and 80.0 and 80.0 and 80.0

**Mounting Facility Screw Thread Series Designator:** 

Unf

**Inclosure Type:** 

Hermetically sealed

**Mounting Facility Type And Quantity:** 

1 threaded bushing

**Functional Terminal Type And Quantity:** 

1 tab, solder lug output 2nd function

Maximum Dielectric Withstanding Ac Rms Voltage:

500.0 volts at sea level

**Operating Voltage Rating And Type Per Function:** 

250.0 volts ac blank and 600.0 volts dc blank

**Thread Size:** 

0.625 inches

**Maximum Dielectric Withstanding Dc Voltage:** 

1.2 kilovolts at sea level

**Style Designator:** 

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

## NSN 5915-00-161-3111

Radio Frequency Interference Filter - Page 2 of 2



		• -						
	In		Of	RЛ	മാ	CI	ır	Δ.
L	,,,			IVI	ca			

--

Demilitarization:

No

Fiig:

A047b0