## NSN 5915-00-161-9193

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-161-9193

Overall Height:
0.850 inches
Body Length:
2.250 inches
Body Width:
1.250 inches
Body Height:
0.600 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.000 inches
Vibration Resistance Range In Hertz:
+10.0 to 55.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.750 inches
Operating Tempurature Range:
+0.0 to 70.0 degrees celsius
Reference Frequency Per Function:
10.35 megahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Principal Circuitry Type Per Function:
Crystal blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
8.0 blank
Functional Terminal Type And Quantity:
1 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
10.3483 megahertz blank and 10.3497 megahertz blank and 10.3502 megahertz blank and 10.3516 megahertz blank
Thread Size:
0.112 inches
Frequency Band Width Per Function:
10.3497 megahertz blank and 10.3502 megahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 3.0 blank and 60.0 blank

## NSN 5915-00-161-9193

Band Pass Filter - Page 2 of 2



Sty	le [	)es	ign	ato	r:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0