

View Online at <https://aerobasegroup.com/nsn/5915-00-161-9193>

**Overall Height:**

0.850 inches

**Body Length:**

2.250 inches

**Body Width:**

1.250 inches

**Body Height:**

0.600 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

2.000 inches

**Vibration Resistance Range In Hertz:**

+10.0 to 55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.750 inches

**Operating Temperature Range:**

+0.0 to 70.0 degrees celsius

**Reference Frequency Per Function:**

10.35 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Principal Circuitry Type Per Function:**

Crystal blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

8.0 blank

**Functional Terminal Type And Quantity:**

1 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

10.3483 megahertz blank and 10.3497 megahertz blank and 10.3502 megahertz blank and 10.3516 megahertz blank

**Thread Size:**

0.112 inches

**Frequency Band Width Per Function:**

10.3497 megahertz blank and 10.3502 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

60.0 blank and 3.0 blank and 3.0 blank and 60.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0