

View Online at <https://aerobasegroup.com/nsn/5915-00-163-6522>

Overall Length:

3.500 inches

Body Outside Diameter:

0.500 inches

Vibration Resistance Range In Hertz:

+5.0 to 55.0

Operating Temperature Range:

+0.0 to 85.0 degrees celsius

Reference Frequency Per Function:

580.0 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Input Terminal Manufacturer Code:

81349

Input Terminal Identification:

Mil-c-39012 sma plug

Output Terminal Manufacturer Code:

81349

Output Terminal Identification:

Mil-c-39012 sma jack

Voltage Standing Wave Ratio Per Function:

1.5 blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 terminal

Insertion Loss At Reference Frequency Per Function In Decibels:

1.0 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

510.00 megahertz blank and 650.00 megahertz blank and 720.00 megahertz blank and 1.44 gigahertz blank

Body Material:

Metal

Frequency Band Width Per Function:

510.00 megahertz blank and 650.00 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 3.0 blank and 30.0 blank and 30.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

510.0 megahertz blank and 650.0 megahertz blank

Style Designator:

Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0

Mil-std (military Standard):

Mil-c-39012 spec.