

View Online at <https://aerobasegroup.com/nsn/5915-00-164-5120>

**Overall Length:**

5.494 inches

**Overall Height:**

2.250 inches

**Body Length:**

3.870 inches

**Body Width:**

2.620 inches

**Unthreaded Mounting Hole Diameter:**

0.206 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

4.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.540 inches

**Operating Temperature Range:**

-28.0 to 65.0 degrees celsius

**Reference Frequency Per Function:**

150.0 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Input Terminal Manufacturer Code:**

91737

**Input Terminal Identification:**

6022

**Output Terminal Manufacturer Code:**

91737

**Output Terminal Identification:**

6022

**Voltage Standing Wave Ratio Per Function:**

1.5 blank

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

3.1 blank

**Functional Terminal Type And Quantity:**

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

100.00 megahertz blank and 142.50 megahertz blank and 157.50 megahertz blank and 207.50 megahertz blank

**Body Material:**

Metal

**Frequency Band Width Per Function:**

142.50 megahertz blank and 157.50 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A047b0