

View Online at <https://aerobasegroup.com/nsn/5915-00-176-2490>

**Overall Length:**

8.000 inches

**Body Outside Diameter:**

0.780 inches

**Operating Temperature Range:**

+5.0/+65.0 degrees celsius

**Reference Frequency Per Function:**

661.4 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Input Impedance Per Function W/load:**

50.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

50.0 ohms blank

**Input Terminal Manufacturer Code:**

10001

**Input Terminal Identification:**

Tnfemale

**Output Terminal Manufacturer Code:**

10001

**Output Terminal Identification:**

Tnfemale

**Voltage Standing Wave Ratio Per Function:**

1.5 blank

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

2 terminal

**Insertion Loss At Reference Frequency Per Function In Decibels:**

3.0 blank

**Functional Terminal Type And Quantity:**

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

496.10 megahertz blank and 646.40 megahertz blank and 676.40 megahertz blank and 826.70 megahertz blank

**Frequency Band Width Per Function:**

646.40 megahertz blank and 676.40 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

80.0 blank and 3.0 blank and 3.0 blank and 80.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

652.4 megahertz blank and 670.4 megahertz blank

**Style Designator:**

Round terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0