## NSN 5915-00-186-2258

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-186-2258

Overall Height:
1.000 inches
Body Width:
2.300 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
5.800 inches
Vibration Resistance Range In Hertz:
+10.0/+55.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
2.070 inches
Operating Tempurature Range:
-40.0 to 50.0 degrees celsius
Reference Frequency Per Function:
145.0 megahertz blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Voltage Standing Wave Ratio Per Function:
1.5 blank
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 unthreaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
1.0 blank
Functional Terminal Type And Quantity:
1 connector, receptacle output 2nd function
Specified Frequencies Of Discrimination Per Function:
25.50 megahertz blank and 30.00 megahertz blank and 260.00 megahertz blank and 299.00 megahertz blank
Frequency Band Width Per Function:
30.00 megahertz blank and 260.00 megahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
40.0 blank and 1.3 blank and 40.0 blank
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

## NSN 5915-00-186-2258

Band Pass Filter - Page 2 of 2



Fiig:

A047b0