

View Online at <https://aerobasegroup.com/nsn/5915-00-186-6473>

Overall Height:

4.765 inches

Body Length:

3.875 inches

Body Width:

3.312 inches

Body Height:

4.062 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.875 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.000 inches

Reference Frequency Per Function:

50.0 kilohertz blank

Input Impedance Per Function W/load:

220.0 kilohms blank

Output Impedance Per Function W/source Across Input:

100.0 kilohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

2.0 blank

Functional Terminal Type And Quantity:

2 solder stud output 2nd function

Specified Frequencies Of Discrimination Per Function:

45.00 kilohertz blank and 48.50 kilohertz blank and 51.50 kilohertz blank and 56.00 kilohertz blank

Thread Size:

0.250 inches

Body Material:

Metal

Frequency Band Width Per Function:

48.50 kilohertz blank and 51.50 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 5.0 blank and 4.5 blank and 25.0 blank

Body Surface Treatment:

Tin

Special Features:

Moisture resistant

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0