NSN 5915-00-189-2831

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-189-2831

| Overall Length: |
|---|
| 4.250 inches |
| Body Length: |
| 4.000 inches |
| Body Width: |
| 2.250 inches |
| Body Height: |
| 1.500 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 3.500 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 1.750 inches |
| Reference Frequency Per Function: |
| 125.0 megahertz blank |
| Input Impedance Per Function W/load: |
| 50.0 ohms blank |
| Output Impedance Per Function W/source Across Input: |
| 50.0 ohms blank |
| Input Terminal Manufacturer Code: |
| 07397 |
| Input Terminal Identification: |
| Smafemale |
| Output Terminal Manufacturer Code: |
| 07397 |
| Output Terminal Identification: |
| Smafemale |
| Voltage Standing Wave Ratio Per Function: |
| 2.1 blank |
| Mounting Facility Screw Thread Series Designator: |
| Unc |
| Inclosure Type: |
| Encased |
| Mounting Facility Type And Quantity: |
| 4 threaded hole |
| Insertion Loss At Reference Frequency Per Function In Decibels: |
| 1.0 blank |
| Functional Terminal Type And Quantity: |
| 1 connector, receptacle output 2nd function |
| Specified Frequencies Of Discrimination Per Function: |
| 0.00 hertz blank and 250.00 megahertz blank and 275.00 megahertz blank and 800.00 megahertz blank |
| Thread Size: |
| 0.138 inches |

NSN 5915-00-189-2831

Low Pass Filter - Page 2 of 2



Frequency Band Width Per Function:

0.00 hertz blank and 250.00 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 40.0 blank and 40.0 blank

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0