NSN 5915-00-200-9911

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-200-9911

Overall Height:
2.950 inches
Body Length:
5.700 inches
Body Width:
3.170 inches
Body Height:
2.450 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
5.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
2.500 inches
Operating Tempurature Range:
+0.0/+50.0 degrees celsius
Reference Frequency Per Function:
96.125 kilohertz blank
Source Impedance Rating Per Function:
10.0 kilohms blank
Load Impedance Per Function:
10.0 kilohms blank
Principal Circuitry Type Per Function:
Crystal blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
6.0 blank
Functional Terminal Type And Quantity:
2 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
92.50 kilohertz blank and 99.75 kilohertz blank and 100.25 kilohertz blank and 110.00 kilohertz blank
Thread Size:
0.164 inches
Frequency Band Width Per Function:
92.50 kilohertz blank and 99.75 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
3.0 blank and 3.0 blank and 60.0 blank and 60.0 blank

otyle Designator.

Rectangular terminal/terminals on one surface

NSN 5915-00-200-9911

Low Pass Filter - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0