

View Online at <https://aerobasegroup.com/nsn/5915-00-215-0183>

**Overall Height:**

3.000 inches

**Body Length:**

2.750 inches

**Body Width:**

2.000 inches

**Body Height:**

2.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

2.500 inches

**Vibration Resistance Range In Hertz:**

+10.0/+2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.500 inches

**Operating Temperature Range:**

-54.0/+85.0 degrees celsius

**Load Impedance Per Function:**

50.0 ohms 5th radio interference

**Input Impedance Per Function W/load:**

50.0 ohms 1st radio interference

**Output Impedance Per Function W/source Across Input:**

50.0 ohms 6th radio interference

**Power Line Frequency Rating Per Function In Hertz:**

400.0 4th radio interference

**Operating Current Rating Per Function In Amps:**

1.0 6th radio interference

**Maximum Voltage Drop Per Function:**

500.0 millivolts dc 6th radio interference

**Principal Circuitry Type Per Function:**

Inductance-capacitance 6th radio interference

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded hole

**Functional Terminal Type And Quantity:**

6 tab, solder lug input 1st function

**Maximum Dielectric Withstanding Ac Rms Voltage:**

350.0 volts at sea level

**Operating Voltage Rating And Type Per Function:**

115.0 volts ac 4th radio interference 4th function

**Thread Size:**

0.112 inches

**Body Material:**

Metal

**Maximum Dielectric Withstanding Dc Voltage:**

100.0 volts at sea level

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A047b0