NSN 5915-00-219-5483

High Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-219-5483

Overall Height:

2.950 inches

Body Length:

5.700 inches

Body Width:

3.170 inches

Body Height:

2.450 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

5.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.500 inches

Operating Tempurature Range:

+0.0/+50.0 degrees celsius

Reference Frequency Per Function:

103.875 kilohertz blank

Source Impedance Rating Per Function:

10.0 kilohms blank

Load Impedance Per Function:

10.0 kilohms blank

Principal Circuitry Type Per Function:

Crystal blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

6.0 blank

Functional Terminal Type And Quantity:

2 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

90.00 kilohertz blank and 99.75 kilohertz blank and 100.25 kilohertz blank and 107.50 kilohertz blank

Thread Size:

0.164 inches

Frequency Band Width Per Function:

100.25 kilohertz blank and 107.50 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 60.0 blank and 3.0 blank and 3.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

NSN 5915-00-219-5483

High Pass Filter - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A047b0

