NSN 5915-00-220-9912

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-220-9912

Overall Height:
2.000 inches
Body Length:
1.688 inches
Body Width:
1.188 inches
Body Height:
1.750 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.250 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.750 inches
Reference Frequency Per Function:
745.0 hertz blank
Source Impedance Rating Per Function:
10.0 kilohms blank
Load Impedance Per Function:
10.0 kilohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
2.0 blank
Functional Terminal Type And Quantity:
1 tab, solder lug output 2nd function
Specified Frequencies Of Discrimination Per Function:
525.00 hertz blank and 1.05 kilohertz blank and 1.596 kilohertz blank and 2.128 kilohertz blank
Thread Size:
0.138 inches
Body Material:
Metal
Frequency Band Width Per Function:
525.00 hertz blank and 1.05 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
3.0 blank and 3.0 blank and 30.0 blank and 45.0 blank
Style Designator:

N/a

Shelf Life:

Rectangular terminal/terminals on one surface

NSN 5915-00-220-9912

Low Pass Filter - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A047b0