## NSN 5915-00-223-0940

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-223-0940

Overell Heimha
Overall Height:
0.750 inches
Body Length:
1.800 inches
Body Width:
0.800 inches
Body Height:
0.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.500 inches
Operating Tempurature Range:
+0.0/+55.0 degrees celsius
Reference Frequency Per Function:
21.4 megahertz blank
Source Impedance Rating Per Function:
270.0 ohms blank
Load Impedance Per Function:
270.0 ohms blank
Principal Circuitry Type Per Function:
Crystal blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
2 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
5.0 blank
Functional Terminal Type And Quantity:
1 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
21.00 megahertz blank and 21.39 megahertz blank and 21.41 megahertz blank and 22.00 megahertz blank
Thread Size:
0.112 inches
Body Material:
Metal
Frequency Band Width Per Function:
21.39 megahertz blank and 21.41 megahertz blank

70.0 blank and 3.0 blank and 3.0 blank and 70.0 blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

## NSN 5915-00-223-0940

Band Pass Filter - Page 2 of 2



Rectangular terminal/terminals on one surface

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0