

View Online at https://aerobasegroup.com/nsn/5915-00-226-6863

Overall Length: 6.312 inches **Body Length:** Between 4.063 inches and 4.187 inches **Body Outside Diameter:** Between 2.188 inches and 2.312 inches Vibration Resistance Range In Hertz: +10.0/+2000.0 **Operating Tempurature Range:** -65.0/+85.0 degrees celsius Average Life Rating In Hours: 250.0 **Source Impedance Rating Per Function:** 50.0 ohms blank Load Impedance Per Function: 50.0 ohms blank **Power Line Frequency Rating Per Function In Hertz:** 400.0 blank **Operating Current Rating Per Function In Amps:** 55.0 blank and 55.0 blank Maximum Voltage Drop Per Function: 500.0 millivolts ac blank and 500.0 millivolts dc blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank **Maximum Tempurature Rise:** 25.0 degrees celsius Mounting Facility Screw Thread Series Designator: Unf **Inclosure Type:** Encased Mounting Facility Type And Quantity: 1 threaded bushing **Functional Terminal Type And Quantity:** 1 threaded stud output 2nd function Maximum Dielectric Withstanding Ac Rms Voltage: 500.0 volts at sea level **Operating Voltage Rating And Type Per Function:** 125.0 volts ac blank and 400.0 volts dc blank **Thread Size:** 1.125 inches **Body Material:** Metal



Maximum Dielectric Withstanding Dc Voltage:

500.0 volts at sea level

Body Surface Treatment:

Tin

Style Designator:

Round terminal/terminals on opposite surfaces

Test Data Document:

81349-mil-f-15733 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-f-15733/2 government specification

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0