

View Online at <https://aerobasegroup.com/nsn/5915-00-230-1681>

Overall Length:

7.000 inches

Overall Height:

4.210 inches

Body Length:

5.531 inches

Body Width:

1.500 inches

Unthreaded Mounting Hole Diameter:

0.199 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 6.480 inches and 6.520 inches

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 0.980 inches and 1.020 inches

Operating Temperature Range:

+0.0/+70.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 2nd radio interference

Load Impedance Per Function:

50.0 ohms 2nd radio interference

Output Impedance Per Function W/source Across Input:

100.0 kilohms 2nd radio interference

Power Line Frequency Rating Per Function In Hertz:

60.0 2nd radio interference

Operating Current Rating Per Function In Amps:

2.0 1st radio interference

Maximum Voltage Drop Per Function:

1.0 volts ac 1st radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 2nd radio interference

Input Terminal Manufacturer Code:

96906

Input Terminal Identification:

Ms3113h10-6p

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 unthreaded hole

Functional Terminal Type And Quantity:

2 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

115.0 volts ac 2nd radio interference 2nd function

Body Material:

Metal

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0