

View Online at <https://aerobasegroup.com/nsn/5915-00-230-1681>

**Overall Length:**

7.000 inches

**Overall Height:**

4.210 inches

**Body Length:**

5.531 inches

**Body Width:**

1.500 inches

**Unthreaded Mounting Hole Diameter:**

0.199 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 6.480 inches and 6.520 inches

**Vibration Resistance Range In Hertz:**

+10.0/+2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 0.980 inches and 1.020 inches

**Operating Temperature Range:**

+0.0/+70.0 degrees celsius

**Source Impedance Rating Per Function:**

50.0 ohms 2nd radio interference

**Load Impedance Per Function:**

50.0 ohms 2nd radio interference

**Output Impedance Per Function W/source Across Input:**

100.0 kilohms 2nd radio interference

**Power Line Frequency Rating Per Function In Hertz:**

60.0 2nd radio interference

**Operating Current Rating Per Function In Amps:**

2.0 1st radio interference

**Maximum Voltage Drop Per Function:**

1.0 volts ac 1st radio interference

**Principal Circuitry Type Per Function:**

Inductance-capacitance 2nd radio interference

**Input Terminal Manufacturer Code:**

96906

**Input Terminal Identification:**

Ms3113h10-6p

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Functional Terminal Type And Quantity:**

2 tab, solder lug output 2nd function

**Operating Voltage Rating And Type Per Function:**

115.0 volts ac 2nd radio interference 2nd function

**Body Material:**

Metal

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0