NSN 5915-00-233-1755

Low Pass Filter - Page 1 of 2

Overall Height: 0.938 inches



View Online at https://aerobasegroup.com/nsn/5915-00-233-1755

Body Length:
3.000 inches
Body Width:
0.750 inches
Body Height:
0.750 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.000 inches
Vibration Resistance Range In Hertz:
+10.0/+2000.0
Operating Tempurature Range:
-55.0/+100.0 degrees celsius
Reference Frequency Per Function:
1.25 kilohertz blank
Source Impedance Rating Per Function:
5.0 kilohms blank
Load Impedance Per Function:
5.0 kilohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
2 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
2.0 blank
Functional Terminal Type And Quantity:
2 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
0.00 hertz blank and 2.50 kilohertz blank and 5.00 kilohertz blank and 10.00 kilohertz blank
Thread Size:
0.112 inches
Frequency Band Width Per Function:
0.00 hertz blank and 2.50 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:

Shelf Life: N/a

Style Designator:

2.0 blank and 2.0 blank and 135.0 blank and 135.0 blank

Rectangular terminal/terminals on one surface

NSN 5915-00-233-1755

Low Pass Filter - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0