NSN 5915-00-239-0716

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-239-0716 **Overall Height:** 2.375 inches **Body Length:** 0.750 inches **Body Width:** 0.750 inches **Body Height:** 2.000 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 0.500 inches Vibration Resistance Range In Hertz: +5.0/+33.0 Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.500 inches **Operating Tempurature Range:** +0.0/+60.0 degrees celsius **Reference Frequency Per Function:** 29.5 megahertz blank Source Impedance Rating Per Function: 2.0 kilohms blank Load Impedance Per Function: 2.0 kilohms blank **Principal Circuitry Type Per Function:** Crystal blank Mounting Facility Screw Thread Series Designator: Unc **Inclosure Type:** Hermetically sealed Mounting Facility Type And Quantity: 3 threaded stud Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank **Functional Terminal Type And Quantity:** 1 wire hook output 2nd function **Specified Frequencies Of Discrimination Per Function:** 26.46 megahertz blank and 26.48 megahertz blank and 26.52 megahertz blank and 26.54 megahertz blank **Thread Size:** 0.112 inches **Body Material:** Metal **Frequency Band Width Per Function:** 26.48 megahertz blank and 26.52 megahertz blank

NSN 5915-00-239-0716

Band Pass Filter - Page 2 of 2



Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 40.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0