

View Online at <https://aerobasegroup.com/nsn/5915-00-275-2141>

**Overall Height:**

2.656 inches

**Body Length:**

1.719 inches

**Body Width:**

1.219 inches

**Body Height:**

2.281 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.125 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.625 inches

**Operating Temperature Range:**

+0.0/+50.0 degrees celsius

**Reference Frequency Per Function:**

25.0 kilohertz blank

**Source Impedance Rating Per Function:**

5.0 kilohms blank

**Load Impedance Per Function:**

5.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

1.0 blank

**Functional Terminal Type And Quantity:**

1 tab, solder lug output 2nd function

**Maximum Dielectric Withstanding Ac Rms Voltage:**

500.0 volts at sea level

**Specified Frequencies Of Discrimination Per Function:**

1.00 kilohertz blank and 25.00 kilohertz blank and 410.00 kilohertz blank and 820.00 kilohertz blank

**Thread Size:**

0.112 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

1.00 kilohertz blank and 25.00 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

1.0 blank and 1.0 blank and 30.0 blank and 30.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0