NSN 5915-00-281-0279

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-281-0279

| Overall Height: |
|---|
| 2.656 inches |
| Body Length: |
| 6.031 inches |
| Body Width: |
| 1.438 inches |
| Body Height: |
| 2.594 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 4.812 inches |
| Operating Tempurature Range: |
| -65.0/+185.0 degrees fahrenheit |
| Reference Frequency Per Function: |
| 10.1 kilohertz blank |
| Input Impedance Per Function W/load: |
| 600.0 ohms blank |
| Output Impedance Per Function W/source Across Input: |
| 600.0 ohms blank |
| Mounting Facility Screw Thread Series Designator: |
| Unf |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Type And Quantity: |
| 2 threaded stud |
| Insertion Loss At Reference Frequency Per Function In Decibels: |
| 8.8 blank |
| Functional Terminal Type And Quantity: |
| 2 tab, solder lug ground 3rd function |
| Specified Frequencies Of Discrimination Per Function: |
| 4.00 kilohertz blank and 8.50 kilohertz blank and 11.70 kilohertz blank and 20.00 kilohertz blank |
| Thread Size: |
| 0.190 inches |
| Body Material: |
| Metal |
| Frequency Band Width Per Function: |
| 8.50 kilohertz blank and 11.70 kilohertz blank |
| Discrimination At Specificationified Frequencies Per Function In Decibels: |
| 60.0 blank and 8.8 blank and 8.8 blank and 80.0 blank |
| Style Designator: |
| Rectangular terminal/terminals on one surface |

N/a

Shelf Life:

NSN 5915-00-281-0279

Band Pass Filter - Page 2 of 2



| | | • • | | | |
|---|----|-----|-------------|----------|--|
| ш | ın | 10 | <i>(</i>)+ | Measure: | |
| | | | | | |

--

Demilitarization:

No

Fiig:

A047b0