

View Online at <https://aerobasegroup.com/nsn/5915-00-304-4552>

**Overall Height:**

0.656 inches

**Body Length:**

2.000 inches

**Body Width:**

0.750 inches

**Body Height:**

0.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.187 inches

**Vibration Resistance Range In Hertz:**

+20.0/+2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.328 inches

**Operating Temperature Range:**

-40.0/+80.0 degrees celsius

**Reference Frequency Per Function:**

11.0 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Principal Circuitry Type Per Function:**

Crystal blank

**Voltage Standing Wave Ratio Per Function:**

1.5 blank

**Inclosure Type:**

Uninclosed

**Insertion Loss At Reference Frequency Per Function In Decibels:**

8.0 blank

**Functional Terminal Type And Quantity:**

1 solder stud input 1st function

**Specified Frequencies Of Discrimination Per Function:**

10.55 megahertz blank and 10.99 megahertz blank and 11.01 megahertz blank and 11.45 megahertz blank

**Frequency Band Width Per Function:**

10.99 megahertz blank and 11.01 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

45.0 blank and 3.0 blank and 3.0 blank and 45.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

10.99 megahertz blank and 11.01 megahertz blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0