NSN 5915-00-329-8111

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-329-8111

Overall Height:					
3.470 inches					
Body Length:					
4.000 inches					
Body Width:					
3.000 inches					
Body Height:					
2.370 inches					
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:					
3.500 inches					
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:					
2.500 inches					
Reference Frequency Per Function:					
750.0 hertz blank					
Source Impedance Rating Per Function:					
0.1 ohms blank					
Load Impedance Per Function:					
145.0 ohms blank					
Mounting Facility Screw Thread Series Designator:					
Unf					
Inclosure Type:					
Encased					
Mounting Facility Type And Quantity:					
4 threaded stud					
Insertion Loss At Reference Frequency Per Function In Decibels:					
3.0 blank					
Functional Terminal Type And Quantity:					
1 threaded stud output 2nd function					
Specified Frequencies Of Discrimination Per Function:					
500.00 hertz blank and 1.00 kilohertz blank and 2.00 kilohertz blank and 4.00 kilohertz blank					
Thread Size:					
0.190 inches					
0.100 mones					
Body Material:					
Body Material:					
Body Material: Metal					
Body Material: Metal Frequency Band Width Per Function:					
Body Material: Metal Frequency Band Width Per Function: 500.00 hertz blank and 1.00 kilohertz blank					
Body Material: Metal Frequency Band Width Per Function: 500.00 hertz blank and 1.00 kilohertz blank Discrimination At Specificationified Frequencies Per Function In Decibels:					

N/a

Shelf Life:

NSN 5915-00-329-8111

Low Pass Filter - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0