NSN 5915-00-339-7332

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-339-7332

Overall Height:
2.750 inches
Body Length:
1.625 inches
Body Width:
1.625 inches
Body Height:
2.375 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.188 inches
Vibration Resistance Range In Hertz:
+5.0/+25.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.188 inches
Operating Tempurature Range:
-55.0/+105.0 degrees celsius
Average Life Rating In Hours:
10000.0
Reference Frequency Per Function:
2.4 kilohertz blank
Input Impedance Per Function W/load:
1.0 kilohms blank
Output Impedance Per Function W/source Across Input:
1.0 kilohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
11.0 blank
Functional Terminal Type And Quantity:
2 wire hook ground 3rd function
Maximum Dielectric Withstanding Ac Rms Voltage:
500.0 volts at sea level
Specified Frequencies Of Discrimination Per Function:
1.35 kilohertz blank and 2.20 kilohertz blank and 2.60 kilohertz blank and 3.00 kilohertz blank
Thread Size:
0.138 inches
Body Material:
Metal

NSN 5915-00-339-7332

Band Pass Filter - Page 2 of 2



Frequency Band Width Per Function:

2.20 kilohertz blank and 2.60 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

25.0 blank and 3.0 blank and 3.0 blank and 25.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0