

View Online at <https://aerobasegroup.com/nsn/5915-00-356-2156>

Overall Height:

2.969 inches

Body Length:

Between 6.000 inches and 6.062 inches

Body Width:

Between 1.407 inches and 1.469 inches

Body Height:

Between 2.469 inches and 2.610 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 4.807 inches and 4.817 inches

Operating Temperature Range:

-65.0/+185.0 degrees fahrenheit

Reference Frequency Per Function:

6.1 kilohertz blank

Input Impedance Per Function W/load:

600.0 ohms blank

Output Impedance Per Function W/source Across Input:

1.275 kilohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance-resistance blank

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

8.5 blank

Functional Terminal Type And Quantity:

2 solder stud ground 3rd function

Specified Frequencies Of Discrimination Per Function:

2.00 kilohertz blank and 4.50 kilohertz blank and 7.70 kilohertz blank and 12.00 kilohertz blank

Thread Size:

0.190 inches

Body Material:

Metal

Frequency Band Width Per Function:

4.50 kilohertz blank and 7.70 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

53.0 blank and 8.5 blank and 8.5 blank and 70.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0