

View Online at <https://aerobasegroup.com/nsn/5915-00-356-2156>

**Overall Height:**

2.969 inches

**Body Length:**

Between 6.000 inches and 6.062 inches

**Body Width:**

Between 1.407 inches and 1.469 inches

**Body Height:**

Between 2.469 inches and 2.610 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 4.807 inches and 4.817 inches

**Operating Temperature Range:**

-65.0/+185.0 degrees fahrenheit

**Reference Frequency Per Function:**

6.1 kilohertz blank

**Input Impedance Per Function W/load:**

600.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

1.275 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance-resistance blank

**Mounting Facility Screw Thread Series Designator:**

Unf

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

8.5 blank

**Functional Terminal Type And Quantity:**

2 solder stud ground 3rd function

**Specified Frequencies Of Discrimination Per Function:**

2.00 kilohertz blank and 4.50 kilohertz blank and 7.70 kilohertz blank and 12.00 kilohertz blank

**Thread Size:**

0.190 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

4.50 kilohertz blank and 7.70 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

53.0 blank and 8.5 blank and 8.5 blank and 70.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0