NSN 5915-00-361-9148

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-361-9148

74.9775 megahertz blank and 75.0225 megahertz blank

Overall Height:
0.750 inches
Body Length:
1.953 inches
Body Width:
0.594 inches
Body Height:
0.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.600 inches
Vibration Resistance Range In Hertz:
+10.0/+500.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.250 inches
Operating Tempurature Range:
-55.0/+105.0 degrees celsius
Average Life Rating In Hours:
2000.0
Reference Frequency Per Function:
75.0 megahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Load Impedance Per Function:
50.0 ohms blank
Principal Circuitry Type Per Function:
Crystal blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
2 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
6.0 blank
Functional Terminal Type And Quantity:
1 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
74.88 megahertz blank and 74.9775 megahertz blank and 75.0225 megahertz blank and 75.12 megahertz blank
Thread Size:
0.112 inches
Frequency Band Width Per Function:

NSN 5915-00-361-9148

Band Pass Filter - Page 2 of 2



Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 6.0 blank and 60.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0