

View Online at <https://aerobasegroup.com/nsn/5915-00-375-2328>

**Overall Height:**

2.750 inches

**Body Length:**

1.375 inches

**Body Width:**

0.969 inches

**Body Height:**

2.188 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

3.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.375 inches

**Reference Frequency Per Function:**

34.0 kilohertz blank

**Source Impedance Rating Per Function:**

50.0 kilohms blank

**Input Impedance Per Function W/load:**

50.0 kilohms blank

**Output Impedance Per Function W/source Across Input:**

100.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

1 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

3.0 blank

**Functional Terminal Type And Quantity:**

2 tab, solder lug output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

28.50 kilohertz blank and 30.25 kilohertz blank and 37.75 kilohertz blank and 39.50 kilohertz blank

**Thread Size:**

0.138 inches

**Frequency Band Width Per Function:**

30.25 kilohertz blank and 37.75 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0