

View Online at <https://aerobasegroup.com/nsn/5915-00-375-2328>

Overall Height:

2.750 inches

Body Length:

1.375 inches

Body Width:

0.969 inches

Body Height:

2.188 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.375 inches

Reference Frequency Per Function:

34.0 kilohertz blank

Source Impedance Rating Per Function:

50.0 kilohms blank

Input Impedance Per Function W/load:

50.0 kilohms blank

Output Impedance Per Function W/source Across Input:

100.0 kilohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

1 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

2 tab, solder lug output 2nd function

Specified Frequencies Of Discrimination Per Function:

28.50 kilohertz blank and 30.25 kilohertz blank and 37.75 kilohertz blank and 39.50 kilohertz blank

Thread Size:

0.138 inches

Frequency Band Width Per Function:

30.25 kilohertz blank and 37.75 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0