NSN 5915-00-392-7548

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-392-7548 **Overall Height:** 3.750 inches **Body Length:** 2.250 inches **Body Width:** 1.500 inches **Body Height:** 3.375 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 1.750 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.000 inches **Reference Frequency Per Function:** 190.0 7th high pass two phase to two phase Input Impedance Per Function W/load: 100.0 kilohms 2nd low pass **Output Impedance Per Function W/source Across Input:** 100.0 kilohms 2nd low pass **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 4 threaded stud Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 1st low pass **Functional Terminal Type And Quantity:** 2 turret input 1st function **Specified Frequencies Of Discrimination Per Function:** 80.00 hertz 2nd low pass and 300.00 hertz 2nd low pass and 500.00 hertz 2nd low pass and 1.00 kilohertz 2nd low pass **Thread Size:** 0.164 inches **Frequency Band Width Per Function:** 80.00 hertz 1st low pass and 140.00 hertz 1st low pass Discrimination At Specificationified Frequencies Per Function In Decibels: 3.0 1st low pass and 3.0 1st low pass and 40.0 1st low pass and 40.0 1st low pass **Style Designator:** Rectangular terminal/terminals on one surface Shelf Life:

N/a

Unit Of Measure:

NSN 5915-00-392-7548

Low Pass Filter - Page 2 of 2



Demilitarization:

No

Fiig:

A047b0