NSN 5915-00-392-7548

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-392-7548

Overall Height:

3.750 inches

Body Length:

2.250 inches

Body Width:

1.500 inches

Body Height:

3.375 inches

- Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
- 1.750 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.000 inches

Reference Frequency Per Function:

190.0 7th high pass two phase to two phase

Input Impedance Per Function W/load:

100.0 kilohms 2nd low pass

Output Impedance Per Function W/source Across Input:

100.0 kilohms 2nd low pass

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 1st low pass

Functional Terminal Type And Quantity:

2 turret input 1st function

Specified Frequencies Of Discrimination Per Function:

80.00 hertz 2nd low pass and 300.00 hertz 2nd low pass and 500.00 hertz 2nd low pass and 1.00 kilohertz 2nd low pass

Thread Size:

0.164 inches

Frequency Band Width Per Function:

80.00 hertz 1st low pass and 140.00 hertz 1st low pass

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 1st low pass and 3.0 1st low pass and 40.0 1st low pass and 40.0 1st low pass

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

NSN 5915-00-392-7548

Low Pass Filter - Page 2 of 2

Demilitarization:

No

Fiig:

A047b0

