NSN 5915-00-403-1414

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-403-1414

| Overall Length: |
|------------------------------------------------------------------------------|
| 4.062 inches |
| Body Length: |
| 3.062 inches |
| Body Width: |
| 2.875 inches |
| Body Height: |
| 2.125 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.195 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 3.625 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 2.125 inches |
| Operating Tempurature Range: |
| -65.0/+85.0 degrees celsius |
| Source Impedance Rating Per Function: |
| 50.0 ohms blank |
| Load Impedance Per Function: |
| 50.0 ohms blank |
| Power Line Frequency Rating Per Function In Hertz: |
| 400.0 blank |
| Operating Current Rating Per Function In Amps: |
| 25.0 blank |
| Principal Circuitry Type Per Function: |
| Inductance-capacitance blank |
| Maximum Tempurature Rise: |
| 15.0 degrees celsius |
| Inclosure Type: |
| Encased |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole |
| Functional Terminal Type And Quantity: |
| 1 threaded stud output 2nd function |
| Operating Voltage Rating And Type Per Function: |
| 150.0 volts ac blank |
| Body Material: |
| Metal |
| Maximum Dielectric Withstanding Dc Voltage: |
| 630.0 volts at sea level |
| Unpackaged Unit Weight: |
| 4.570 mayorda |

1.570 pounds

NSN 5915-00-403-1414

Radio Frequency Interference Filter - Page 2 of 2



| Style Designator: |
|-----------------------------------------------------|
| Rectangular terminal/terminals on opposite surfaces |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

Fiig:

A047b0