## NSN 5915-00-404-9112

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-404-9112

Overall Height:
2.500 inches
Body Length:
1.688 inches
Body Width:
1.188 inches
Body Height:
2.250 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.250 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.750 inches
Operating Tempurature Range:
+0.0/+50.0 degrees celsius
Reference Frequency Per Function:
400.0 hertz blank
Source Impedance Rating Per Function:
10.0 kilohms blank
Load Impedance Per Function:
10.0 kilohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Screw Thread Diameter:
0.138 inches
Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded hole
Screw Thready Qty Per Inch (tpi):
32
Insertion Loss At Reference Frequency Per Function In Decibels:
2.0 blank
Functional Terminal Type And Quantity:
1 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:** 

265.00 hertz blank and 530.00 hertz blank and 800.00 hertz blank and 1.20 kilohertz blank

**Frequency Band Width Per Function:** 

265.00 hertz blank and 530.00 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

2.0 blank and 2.0 blank and 30.0 blank and 45.0 blank

## NSN 5915-00-404-9112

Low Pass Filter - Page 2 of 2



Rectangular terminal/terminals on one surface

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0