

View Online at <https://aerobasegroup.com/nsn/5915-00-406-3959>

**Overall Length:**

5.750 inches

**Body Length:**

4.250 inches

**Body Width:**

1.620 inches

**Body Height:**

2.000 inches

**Unthreaded Mounting Hole Diameter:**

0.125 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

3.750 inches

**Vibration Resistance Range In Hertz:**

+10.0/+2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.620 inches

**Operating Temperature Range:**

-54.0/+70.0 degrees celsius

**Reference Frequency Per Function:**

135.0 megahertz blank

**Input Impedance Per Function W/load:**

50.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

50.0 ohms blank

**Input Terminal Manufacturer Code:**

27834

**Input Terminal Identification:**

N

**Output Terminal Manufacturer Code:**

27834

**Output Terminal Identification:**

N

**Voltage Standing Wave Ratio Per Function:**

1.30 blank

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

1 unthreaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.5 blank

**Functional Terminal Type And Quantity:**

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

116.00 megahertz blank and 150.00 megahertz blank and 232.00 megahertz blank and 1.00 gigahertz blank

**Frequency Band Width Per Function:**

116.00 megahertz blank and 150.00 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

0.5 blank and 0.5 blank and 50.0 blank and 50.0 blank

**Style Designator:**

Rectangular terminal/terminals on two surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A047b0