## NSN 5915-00-430-0430

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-430-0430

view Online at https://derobasegroup.com/nsi/3313-00-430-0430
Overall Length:
2.500 inches
Body Length:
1.750 inches
Body Width:
1.250 inches
Body Height:
1.006 inches
Unthreaded Mounting Hole Diameter:
0.196 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.125 inches
Vibration Resistance Range In Hertz:
+5.0/+2000.0
Operating Tempurature Range:
-54.0/+95.0 degrees celsius
Average Life Rating In Hours:
10000.0
Source Impedance Rating Per Function:
50.0 ohms 3rd radio interference
Load Impedance Per Function:
50.0 ohms 2nd radio interference
Power Line Frequency Rating Per Function In Hertz:
400.0 3rd radio interference
Operating Current Rating Per Function In Amps:
0.5 3rd radio interference

**Maximum Voltage Drop Per Function:** 

750.0 millivolts dc 3rd radio interference

**Principal Circuitry Type Per Function:** 

Inductance-capacitance 3rd radio interference

**Maximum Tempurature Rise:** 

25.0 degrees celsius

Inclosure Type:

Encased

**Mounting Facility Type And Quantity:** 

2 unthreaded hole

**Functional Terminal Type And Quantity:** 

3 tab, solder lug input 1st function

**Operating Voltage Rating And Type Per Function:** 

130.0 volts ac 3rd radio interference 3rd function

**Body Material:** 

Metal

## NSN 5915-00-430-0430

Radio Frequency Interference Filter - Page 2 of 2



Maximum Dielectric Withstanding Dc Voltage:
600.0 volts at sea level
Body Surface Treatment:
Tin
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A047b0