

View Online at <https://aerobasegroup.com/nsn/5915-00-430-4203>

**Overall Length:**

4.875 inches

**Body Length:**

3.875 inches

**Body Width:**

1.906 inches

**Body Height:**

1.438 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

3.562 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.594 inches

**Operating Temperature Range:**

-40.0/+72.0 degrees celsius

**Reference Frequency Per Function:**

134.0 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Voltage Standing Wave Ratio Per Function:**

1.4 blank

**Average Power Rating Per Function:**

40.0 watts blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.5 blank

**Functional Terminal Type And Quantity:**

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

65.00 megahertz blank and 116.00 megahertz blank and 152.00 megahertz blank and 225.00 megahertz blank

**Thread Size:**

0.112 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

116.00 megahertz blank and 152.00 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

60.0 blank and 1.0 blank and 1.0 blank and 60.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

116.0 megahertz blank and 152.0 megahertz blank

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0